Page 2

1. The preliminary amendment filed on 7/16/2004 has been entered.

## **EXAMINER'S AMENDMENT**

**Preliminary Amendment** 

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE CLAIMS:

Claim 14, line 1, "a" has been deleted and --an-- has been inserted.

Claim 25, line 1, "claim 22" has been deleted and --claim 14-- has been inserted.

## Allowable Subject Matter

- 3. Claims 1-14,16-20,23-25 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: the prior art fails to disclose or render obvious a dispenser for material in combination with the other claimed limitations of claim 1:

"an activation mechanism for rotating the second end of the container in the one direction, whereby rotating the second end of the container about the axis twist the container about the axis compressing material therein and extruding the material from the outlet".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/807,097

Art Unit: 3754

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

## Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Andrews 2,721,676, Wiggins 3,593,885, Parker 2,723,779, Hausner 2,634,025, Jones 2,616,422, Moricich 2,562,937 and Hardman et al. 3,302,832 disclose other types of dispenser for material.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick C. Nicolas whose telephone number is (571)-272-4931. The examiner can normally be reached on Monday Friday from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin P. Shaver, can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

Application/Control Number: 10/807,097

Art Unit: 3754

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

FN

October 12, 2006

Frederick C. Nicolas Primary Examiner Art Unit 3754 Page 4